

SPECIAL OFFER | Laboratory

From 1 June to 30 September, 2025



Scanner Magic Eye

MagicEye is a scanner especially designed for use within the industry dental.

Its powerful and intuitive software incorporates a modern and extensive set of commands, as well as being fully compatible and integrable with 3D dental design applications, which gives it great versatility.

- ✓ Operating system: Win 10, 64 bit
- ✓ CPU: NTEL i5 - 9400H
- ✓ DDR: DDR4 2666 8 GB
- ✓ HDD: 2TB 256 MB 7200 Rpm
- ✓ Graphic card: GEFORCE GTX 1050 Ti
- ✓ Port: USB 3.0



235 mm
235 mm
390 mm
5,1 kg

REF. 150100

CHECK PRICE

Accessories:



N°	REFERENCE	DESCRIPTION	N°	REFERENCE	DESCRIPTION
1	150100-01	Multi-trunnion support.	7	150100-07	Lift support.
2	150100-02	Gum support.	8	150100-08	Jaw support.
3	150100-03	Articulator support.	9	150100-09	Articulator plate.
4	150100-04	Calibration table.	10	150100-10	Font feeding.
5	150100-05	2 base supports.	11	130355	Scanner spray.
6	150100-06	Printing support.			

Microwave oven for zirconia

- ✓ Total sintering time of only 4 hours.
- ✓ Maintenance savings (less power, without expensive resistances of molybdenum silicate).
- ✓ Very low consumption (800/1100 W).
- ✓ Allows several production cycles on the same day.
- ✓ Intuitive and easy to program display.
- ✓ The housing practically does not get hot.

The oven is supplied with all necessary accessories for immediate start-up.



547 mm
440 mm
385 mm
31 kg

REF. 080114

CHECK PRICE

Anodizing unit

The anodizing unit for titanium is a simple device that allows you to process titanium dental elements quickly, easily and economically. The results are comparable to products belonging to a much higher category.

- ✓ Corrosion resistance.
- ✓ Wear resistance.
- ✓ Better adhesion and surface finish.
- ✓ Less release of metal ions.
- ✓ It works with a solution of water and sodium bicarbonate.

APPEARANCE:

The anodic layer can be colored with different shades. This advantage is especially interesting when the anodised element serves as a support for a translucent material such as zirconium or for bars on implants.

Depending on the voltage, different shades will be obtained. For example, at 60 V you get an attractive golden shade and at 75 V you get a pink shade, highly appreciated in the dental sector. The colouring process takes only 5 seconds.



207 mm
160 mm
245 mm
2,73 kg



NEW



REF. 100295

598 €

SPECIAL OFFER | Laboratory

From 1 June to 30 September, 2025



Steam cleaning cabin **Altamira**

Designed to operate with a steam cleaning machine

Large illuminated working chamber and vacuum system.

Manufactured from high quality plastic.



REF. 080600

1.073 €

Static steam **Jet**

Static steam generator machine for dental laboratory and clinic. Ideal for intensive and professional use.

Constructed entirely of stainless steel.



REF. 100192

424 €

Dry piston **compressors** without dryer

Family of compressors consisting of two sizes of 80 and 160 litres/minute. Extremely quiet operation (60 dB), easy maintenance (dry piston) and excellent reliability.

They are supplied with two pressure gauges (boiler and service pressure), outlet pressure regulator and complete set of valves for draining. The service pressure can reach 8 bars. **Not suitable for milling machines.**

REFERENCE	110300	110330
Power	750 W	1500 W
Pressure	5-8 bar	5-8 bar
Boiler capacity	30 l	50 l
N° heads	1	2

CERTIFICATE by TÜV SÜD
Type certificate N° 12202200491258001
Directive 2014/29/UE (pressure vessels)



80 l/min
REF. 110300

640 €



160 l/min
REF. 110330

1.158 €

Dry piston **compressors** with dryer

Family of compressors consisting of two sizes of 80 and 160 litres/minute to which a dryer with automatic drain can be coupled. Extremely quiet operation (60 dB), easy maintenance (dry piston) and excellent reliability.

They are supplied with two pressure gauges (boiler and service pressure), outlet pressure regulator and complete set of valves for draining. The service pressure can reach 8 bars. **Not suitable for milling machines.**


REFERENCE	110310	110340
Power	750 W	1500 W
Pressure	5-8 bar	5-8 bar
Boiler capacity	30 l	50 l
N° heads	1	2

CERTIFICATE by TÜV SÜD
Type certificate N° 12202200491258001
Directive 2014/29/UE (pressure vessels)



80 l/min
(with dryer)
REF. 110310

1.334 €



160 l/min
(with dryer)
REF. 110340

1.974 €

SPECIAL OFFER | Laboratory

From 1 June to 30 September, 2025



TITAN 8 steam cleaner


Professional use

Is the first option. Distilled water is loaded directly into the boiler.

- ✓ Made of stainless steel with high quality components.
- ✓ Digital pressure switch.
- ✓ Full and lack of water indicator.
- ✓ Connection cable with built-in differential switch.
- ✓ Drain tap with safety lock.

Specifications

Power 2200 W	Voltage 220 V, 50/60 Hz
Pressure 8 bar	Boiler 3 L



NEW



REF. 100202

836 €

ADDITIONAL INFORMATION ABOUT THE THREE REFERENCES:

**100202,
100203 y 100204**

They are supplied with the following accessories:

- ✓ Power cord with built-in protection.
- ✓ Fine and long replacement nozzle.
- ✓ Replacement safety cap and 2 gaskets.
- ✓ Funnel and measuring cup (300 ml). In models with direct connection to the water intake:
- ✓ Necessary hoses for water inlet/outlet connection.
- ✓ With drain for cleaning the tank with citric acid (see instructions).

TITAN AUTOFILL steam cleaner


Professional use

It also has a pump to suck distilled water from an external bottle.

- ✓ Made of stainless steel with high quality components.
- ✓ Digital pressure switch.
- ✓ Full and lack of water indicator.
- ✓ Connection cable with built-in differential switch.
- ✓ Drain tap with safety lock.

Specifications

Power 2200 W	Voltage 220 V, 50/60 Hz
Pressure 8 bar	Boiler 3 L



NEW



REF. 100203

969 €



Citric acid

REF. 100210-01

REF. 100202

- ✓ Manual filling.

REF. 100203

- ✓ Manual filling.
- ✓ Autofill without having to the plug to be released (external bottle).

REF. 100204

TITAN PLUS steam cleaner

Professional use


Also has an internal tank for distilled water storage.

You can load water into this extra tank without having to turn off the machine and wait for the pressure inside the boiler drops. Simply open the auxiliary tank cap and pour more water when you need it.

Safer and without interruptions.

Specifications

Power 2600 W	Voltage 220 V, 50/60 Hz	
Pressure 4 - 8 bar	Boiler 3 L	Auxiliary tank 2 L



NEW



REF. 100204

1.396 €

- ✓ Manual filling.
- ✓ Autofill without previous cooling (integrated tank).
- ✓ Direct water net connection.

SPECIAL OFFER | Laboratory

From 1 June to 30 September, 2025



Iris vacuum mixers

Economical and useful vacuum mixer. Just place the bowl and press the operation key and the mixer will start up. In a few seconds the mixture will be ready.

As there are four versions available, you will find the model that best suits your needs. Despite the differences in their control system, all the versions share the same motor-pump-chassis structure of well known solidity and reliability.



Iris II
REF. 080516
869 €



Iris II Evolution
REF. 080517
952 €




Iris II Inverter
REF. 080517E
982 €



Iris II Advanced
REF. 080518
1.047 €

Optional support

The IRIS vacuum mixer has been designed to be hanging on the wall. However, whenever it is no possible, there is an optional support available.



Optional support
REF. 080519
182 €



MODEL	IRIS II	IRIS II EVOLUTION	IRIS II EVOLUTION INVERTER	IRIS II EVOLUTION ADVANCED
Time range	0/120"	0/300"	0/300"	0/300"
RPM and rotation	240 ↺	100 - 400 ↺	100 - 400 ↺↻	100 - 400 ↺↻
Power	100 W	100 W	100 W	100 W

Water-plaster Boomerang Precision II

Optimized version of the Boomerang dispenser, with a new quieter peristaltic pump, a more precise weighing algorithm and a backlit alphanumeric display that allows a more intuitive and simple operation.

Just press a button, and you will obtain a dose ready to be mixed.


However, with the Boomerang dispenser you will always obtain the exact dose, and the subsequent saving.

They are factory supplied with a rubber bowl to mix the plaster and a plastic spatula. Apart from that, an extra plaster tank (to alternate different types of powder) and a bracket to fix it to the wall is also included.



Specifications

Power 70 W	Plaster tank 5 l
Water tank 2 l	



Perishables:
spindle (2 units)
REF. 080590-43



Plaster tank
REF. 080590-03

Bracket
REF. 080591-02

REF. 080592
1.202 €



SPECIAL OFFER | Laboratory

From 1 June to 30 September, 2025



MESTRA

Serantes model trimmer

The Serantes trimmer is an ideal product for situations when space is at an important condition.

It adjusts to any small space without its performance being diminished.




NEW

Specifications

Speed 3000 rpm

Disc Ø 235 mm

Power 1600 W



Accessories

REF. 080097-08

REF. 080097-09

REF. 080098-01

Sandpaper disc coarse grain - 80 (5 U.)

Sandpaper disc fine grain - 120 (5 U.)

Diamant disc (1 U.)

Sandpaper disc

REF. 080097

662 €

Diamant disc

REF. 080098

1.008 €

Sandpaper disc trimmer



REF. 080099

662 €

Model trimmers **Mulhacén 3000**



Silicon carbide disc

REF. 080093

676 €

Diamond disc

REF. 080095

1.031 €

Model trimmers **RH 1500 y 3000**



Silicon carbide disc
1500 rpm

REF. 080080

867 €

Silicon carbide disc
3000 rpm

REF. 080082

915 €

Diamond disc
1500 rpm

REF. 080081

1.307 €

Diamond disc
3000 rpm

REF. 080083

1.352 €

Decanter polypropylene decanter




Dirt is collected in a plastic bag.

19 L

REF. 080085


297 €



14 L

REF. 080087

255 €



Interior trimmer




- ✓ Powerful motor: 1/3 HP
- ✓ Supplied with 12-tooth cutting bur of hard metal.



REF. 080102

942 €



SPECIAL OFFER | Laboratory

From 1 June to 30 September, 2025



Box polisher with aspiration


LED light included.

Specifications

Speed 1500 / 3000 rpm

Aspir. aprox. 500 m³/h

Noise 67 dB



REF. 080500

3.779 €

Polishing lathes



2 speeds

REF. 080160

484 €



1 speed

REF. 080150

405 €



Variable speed
Brushes not included

REF. 080164

239 €



1 speed

REF. 100274

SUPER OFFER
225 €



Variable speed

REF. 100276

222 €


Box with aspiration for polishing

Made of high-strength polypropylene.

Specifications

Aspir. aprox. 500 m³/h

Noise 67 dB




REF. 080502

1.995 €

Mini box polishing Gorbea two speeds

- ✓ Connection to aspiration.
- ✓ LED lighting.
- ✓ Protective shields.
- ✓ Brushes not included.



Specifications

Power 200 W


Speed 2000- 7000 rpm

REF. 080508

610 €

Polishing lathes two speeds

- ✓ Powerful, silent (48 dB), waterproof and safe.
- ✓ Its lines allow the mobility of the arms and make work comfortable, whether standing or sitting.
- ✓ Brushes not included.



Specifications

Power 500 W

Speed 1500- 3000 rpm

REF. 080162

624 €

High gloss polishing paste



REF. 104852

5 €

REF. 104852-10

41 €

Green polishing paste (132 g) finish for hard metals (chrome, platinum)



White and blue polishing paste (115 g) finishing for metals and plastics.

White

REF. 104854

Blue

REF. 104856

4 €

REF. 104854-10

REF. 104856-10

33 €

Shield for polisher



Made of rubber to prevent any possible collision and breakage of the workpiece.

REF. 080210

90 €

SPECIAL OFFER | Laboratory

From 1 June to 30 September, 2025



MESTRA

Eclipse finishing box with built-in suction

This box has similar features to the "Eclipse revision booth" (Ref. 080216), but with the particularity of integrating its own suction unit.

Its small dimensions make it ideal in places with little space, where it is important to keep the environment clean without the need for bulky suction equipment. If necessary, the machine can be connected to an external extraction source.



Front



Back

NEW



REF. 080217

464 €

275 mm
380 mm
400 mm
2,8 kg

Microchamber



NEW

REF. 050586

36 €

Eclipse work box

- ✓ Docking coupling with Jeb type suction.
- ✓ Ergonomic work position.
- ✓ LED lamps
- ✓ Easy cleaning.



REF. 080216

378 €

275 mm
330 mm
360 mm
2,8 kg

Orion work box

- ✓ Docking coupling with Jeb type suction.
- ✓ Ergonomic work position.
- ✓ Includes a wedge in the interior with support for micromotor.
- ✓ LED lamps
- ✓ Easy cleaning.



REF. 080214

378 €

300 mm
330 mm
360 mm
2,6 kg

Glass microsphere



50 µm

REF. 080312

30 €

Aluminium oxide



50 µm

100 µm

REF. 080315 REF. 080316

150 µm 250 µm

REF. 080317 REF. 080318

31 €

Large finishing box

Specially designed for zirconia

- ✓ LED lamp for perfect illumination.
- ✓ Comfortable and practical armrests.
- ✓ Spacious and robust design.
- ✓ Large screen and access.
- ✓ Great working ergonomics.



NEW

REF. 080212

666 €

542 mm
336 mm
500 mm
4,9 kg

Laboratory finishing box

- ✓ LED lamp for perfect illumination.
- ✓ Comfortable and practical armrests.
- ✓ Spacious and robust design.



NEW

REF. 080534L

312 €

230 mm
400 mm
345 mm
2,4 kg

SPECIAL OFFER | Laboratory

From 1 June to 30 September, 2025



Eclipse II T Sandblaster - 2 tanks




- ✓ Two tanks and two mobile nozzles for micro-sandblasting.
- ✓ Internal LED light.
- ✓ Large sand tank and Ø 3 mm nozzle for static blasting.
- ✓ 2 to 6 bar
- ✓ Air consumption 100 l/min



REF. 080228

1.081 €



Eclipse T Sandblaster




- ✓ Blower.
- ✓ Internal LED light.
- ✓ Large sand tank and Ø 3 mm nozzle for static blasting.
- ✓ 2 to 6 bar
- ✓ Air consumption 100 l/min



REF. 080229

626 €



Cosmos Sandblaster - 2 tanks

Inox



- ✓ Recycling and precision sandblaster.
- ✓ Static jet with Ø 3 mm boron carbide nozzle.
- ✓ Ø 1 and 1.25 mm mobile nozzles.
- ✓ Air blower and pedal.

Specifications


Air consumption 90 l/min at 5 bar

Work pressure 2 to 5 atm



REF. 080233

2.204 €



Galaxy Sandblaster

Inox



- ✓ Ø 3 mm boron carbide nozzle.
- ✓ Automatic and manual jet.

Specifications


Air consumption 90 l/min at 5 bar

Work pressure 2 to 5 atm



REF. 080235

1.954 €



Eclipse Automatic Sandblaster




- ✓ Work pressure 2 to 5 bar.
- ✓ Air consumption 90 l/min
- ✓ Internal LED light.




REF. 080218

890 €



Sandblasters Without tank, 1 or 2 tanks Terra I, II and III

- ✓ 1 or 2 mobile nozzles (depending on model).
- ✓ Ø 3 mm static nozzle.
- ✓ 6 W internal LED light.
- ✓ Pedal.



REF. 080292

733 €

2 tanks

REF. 080296

1.080 €

1 tank

REF. 080294

923 €

SPECIAL OFFER | Laboratory

From 1 June to 30 September, 2025



Eclipse I Sandblaster - 1 tank

- ✓ One tank and one mobile gun for micro-blasting.
- ✓ Blower.
- ✓ Operating pressure 2 to 6 bars.
- ✓ Internal LED light.
- ✓ Air consumption 80 l/min



330 mm
360 mm
450 mm
5,7 kg

REF. 080221

679 €

NEW



Eclipse II Sandblaster - 2 tanks

- ✓ Two tanks and two mobile nozzles for micro-sandblasting.
- ✓ Operating pressure 2 to 6 bars.
- ✓ Internal LED light.
- ✓ Air consumption 80 l/min



330 mm
360 mm
450 mm
5,7 kg

REF. 080220

798 €



Pluton Sandblaster - 1 tank

- ✓ One high capacity cup.
- ✓ Blowing pressure up to 6 bar.
- ✓ Stainless steel body.
- ✓ High power LED light.
- ✓ Wide view inside.
- ✓ Air consumption 80 l/min
- ✓ Working pressure 2-5 atm



290 mm
235 mm
340 mm
7 kg

REF. 080254

684 €

NEW



Pluton Sandblaster - 2 tanks

- ✓ Two high capacity cups.
- ✓ Blowing pressure up to 6 bar.
- ✓ Stainless steel body.
- ✓ High power LED light.
- ✓ Wide view inside.
- ✓ Air consumption 80 l/min
- ✓ Working pressure 2-5 atm



290 mm
235 mm
340 mm
7 kg

REF. 080253

842 €



Constellation Practic Sandblaster - 2 tanks

- ✓ Epoxi paint



315 mm
390 mm
440 mm
12,5 kg

REF. 080259

945 €



Constellation Sandblaster - 3 and 4 tanks

- ✓ Epoxi paint



315 mm
510 mm
440 mm
15,5 kg

4 tanks

REF. 200264

1.520 €

3 tanks

REF. 200263

1.411 €

- ✓ Stainless steel



315 mm
440 mm
390 - 510 mm
12,5 - 14 - 15,5 kg

4 tanks

REF. 080264

1.629 €

3 tanks

REF. 080263

1.520 €



SPECIAL OFFER | Laboratory

From 1 June to 30 September, 2025



SENSE A7 Induction

NEW

- ✓ Brushless motor.
- ✓ Manual or pedal speed control.
- ✓ Displayed speed.
- ✓ Right & Left turning ability.
- ✓ Overload protection function.
- ✓ Fault warning function.

Specifications

Maximum speed 55000 rpm
Torque 8.5 N-cm
Power 240 W
Output voltage 0~36 V
Handpiece 162 x Ø 20 mm
Handpiece weight 230 g



REF. 100230

590 €

SENSE A3 Brushes (white)

NEW

- ✓ Motor with brushes.
- ✓ Manual or pedal speed control.
- ✓ ON/OFF pedal.
- ✓ Displayed speed.
- ✓ Right & Left turning ability.
- ✓ Overload protection function.
- ✓ Fault warning function.



Specifications

Max. speed 35000 rpm
Torque 3.0 N-cm
Power 70W
Voltage 0~33V
Handpiece 150 x Ø 15 mm
Handpiece weight 215 g




REF. 100238

210 €

SENSE A3 Brushes (graphite)

NEW

- ✓ Motor with brushes.
- ✓ Manual or pedal speed control.
- ✓ ON/OFF pedal.
- ✓ Displayed speed.
- ✓ Right & Left turning ability.
- ✓ Overload protection function.
- ✓ Fault warning function.



Specifications

Max. speed 35000 rpm
Torque 3.0 N-cm
Power 70W
Voltage 0~33V
Handpiece 150 x Ø 15 mm
Handpiece weight 215 g




REF. 100240

210 €

SENSE A6 Induction (white)

NEW

- ✓ Brushless motor.
- ✓ Manual or pedal speed control.
- ✓ Automatic speed maintenance function.
- ✓ High/Medium/Low speed.
- ✓ Displayed speed.
- ✓ Right & Left turning ability.
- ✓ Overload protection function.
- ✓ Fault warning function.



Specifications

Maximum speed 55000 rpm
Torque 8.0 N-cm
Power 230W
Output voltage 0~36V
Handpiece 150 x Ø 15 mm
Handpiece weight 240 g




REF. 100232

569 €

SENSE A6 Induction (graphite)

NEW

- ✓ Brushless motor.
- ✓ Manual or pedal speed control.
- ✓ Automatic speed maintenance function.
- ✓ High/Medium/Low speed.
- ✓ Displayed speed.
- ✓ Right & Left turning ability.
- ✓ Overload protection function.
- ✓ Fault warning function.



Specifications

Maximum speed 55000 rpm
Torque 8.0 N-cm
Power 230W
Output voltage 0~36V
Handpiece 150 x Ø 15 mm
Handpiece weight 240 g



REF. 100234

569 €

SPECIAL OFFER | Laboratory

From 1 June to 30 September, 2025



PRIME 221 Induction

NEW

- ✓ Brushless motor.
- ✓ Manual or pedal speed control.
- ✓ Displayed speed.

- ✓ Right & Left turning ability.
- ✓ Overload protection function.
- ✓ Fault warning function.




Specifications

Maximum speed 50000 rpm
Torque 5.8 N-cm
Power 120W
Output voltage 0-36V
Handpiece 157 x Ø 20 mm
Handpiece weight 205 g

REF. 100236

326 €

Micromotor Brushes




Specifications

Max. speed 45000 rpm
Torque 4.0 N-cm
Power 80 W
Voltage 110-230 V - 50/60 hz
Handpiece Ø 30 x 155 mm
Handpiece weight 238 g

REF. 100283

458 €

Micromotor Black Induction



Specifications

Max. speed 50000 rpm
Torque 7.8 N-cm
Power 230 W
Voltage 220-240 V - 50/60 hz
Handpiece Ø 29 x 171 mm
Handpiece weight 254 g

REF. 100281

856 €

Micromotor Knee (Saeshin)



Specifications

Max. speed 50000 rpm
Torque 7.8 N-cm
Power 230 W
Voltage 220-240 V - 50/60 hz
Handpiece Ø 29 x 171 mm
Handpiece weight 254 g


REF. 100278S

920 €

Polishing discs and burs for zirconia

We present two kits of diamond discs and burs, specially designed for pre-polishing and high-gloss polishing of zirconia inlays and veneers, without the need for glazing, polishing paste or water cooling. Check prices if you want to buy a bur to round off the kits.

- ✓ Recommended working speed 10 000 - 15 000 rpm
- ✓ Their shanks have a standard diameter of 2.35 mm
- ✓ They are autoclavable at 135°C



2 STEP KIT
Pre-polishing
and fine polishing

REF. 108106

64 €



3 STEP KIT
Fine grinding,
pre-polishing
and fine polishing

REF. 108306

78 €

Diamond rubber - Maximum speed 20 000 rpm
Diamond ceramic - Maximum speed 25 000 rpm

NEW

SPECIAL OFFER | Laboratory

From 1 June to 30 September, 2025



Eolo Induction suction unit

NEW



Its new "brushless" induction motor extends its useful life between 5 and 10 times compared to traditional models, and has an innovative double filter system optimized for work in the dental laboratory (including abrasives such as aluminum oxide). It can be mounted with HEPA filter.

It easily adapts to the laboratory furniture, filling a minimum space. In addition, the ergonomic design facilitates its use and mobility. The electronic control with LCD screen is equipped with protection systems against overloads or obstructions in the suction mouth and with a visual indicator of the filter filling level and the detection of the micromotors.

It allows manual or automatic operation synchronized with up to 3 different devices (sandblasters, micromotors, etc.). The detection and adjustment of micromotors is carried out by the electronic control itself, which allows detecting any micromotor, including those of the "brushless" type.

Specifications

Power 750 W Noise 65 dB



Simultaneous detection of two micromotors

REF. 080533

1.284 €



Ciclón Dust decanter



Collects more than 99% dust and dirt.



REF. 080535

254 €

Sirocco S suction unit

NEW

- ✓ Powerful induction motor.
- ✓ Easy to use and change filter.
- ✓ Exceptionally quiet.
- ✓ Interior LED light.



Sirocco S + finishing box

REF. 080534AC

699 €

Specifications

Power 350 W Noise 55 dB



Sirocco M y L suction unit

NEW




Sirocco M + flexible hose

REF. 080536D1

1.006 €

Reusable filter 4.3 l + ULPA filter




Sirocco L + flexible hose

REF. 080537D

1.100 €

Reusable filter 7.5 l + ULPA filter



Gemini Aspiration


Aspiration of solids and liquids.

*Not suitable for detection of micromotors.



REF. 080539

418 €



Gemini mini Aspiration

Aspiration of solids and liquids.

*Not suitable for detection of micromotors.



REF. 080538

378 €



SPECIAL OFFER | Laboratory

From 1 June to 30 September, 2025



Pressure former PlastPress


The most compact positive pressure machine on the market.

Greater accuracy in the forming process and lower noise compared to vacuum machines.

Practical and versatile, it accepts round and square sheets up to 6 mm thickness.

It must be connected directly to a compressor (between 3 and 8 bar).

Sheets \square from 125 to 131 mm
Sheets \circ from 125 to 134 mm



Specifications

Power 450 W

REF. 080544

941 €

Vacuum forming machine

Thermoforming machine for square and round sheets.

Sheets \square from 125 to 134 mm
Sheets \circ from 125 to 134 mm
(adapter available for ϕ 120, not included)

Specifications

Power 925W



REF. 080542

651 €


Pressure former

The strong pressurization allows precise molding, regardless of the cut of the model, as well as various thicknesses (0.5 to 4.0 mm). Square and round sheets (127, 125, 120 mm) can be used.

Specifications

Pressure 4-6 bar

Power 450W




REF. 080543

2.422 €

Drying oven for thermoforming sheets

A fan circulates the hot air producing an uniform drying:

- ✓ Draws out moisture and keeps dry thermoforming sheets, to avoid the formation of bubbles.
- ✓ Drying of instruments plaster models, etc.
- ✓ 6 stainless steel trays.
- ✓ Stainless steel housing.
- ✓ 24 hour timer.



Specifications

Temperature 35-75°C

Power 550-650 W



REF. 080118

268 €

Thermoforming sheets

Double packaging (inside-outside). For all types of use.

CE Medical device



REFERENCE	HARDNESS	APPEARANCE	Dim. 128 x 128 mm thickness	QTY.	PRICE
080563	Hard	Transparent	0.5 mm	25 u.	11€
080564	Hard	Transparent	0.75 mm	25 u.	14,56€
080565	Hard	Transparent	1.0 mm	25 u.	14,56€
080566	Hard	Transparent	1.5 mm	25 u.	18,30€
080567	Hard	Transparent	2.0 mm	25 u.	27€
080568	Soft	Translucent	0.5 mm	25 u.	25€
080569	Soft	Translucent	1.0 mm	12 u.	6,98€
080570	Soft	Translucent	1.5 mm	12 u.	9,27€
080571	Soft	Translucent	2.0 mm	12 u.	13,97€
080572	Soft	Translucent	3.0 mm	12 u.	17,45€

Thermoforming sheets



CE Medical device

Standard square and round thermoforming sheets. Made of high quality plastic with CE marking certification as medical device.

There is no soot, nor fumes during the heating. As they do not contain recycled materials, they do not tear while subjected to vacuum.

Available in a wide variety of thicknesses and types. Supplied in metalized package and vacuum closed.

From
4 €

REF.	TYPE	HARDNESS	APPEARANCE	Dim. 126x126 mm thickness	QTY.	PRICE
080574	Crystal	Hard	Transparent	0.3 mm	10	4€
080575	Crystal	Hard	Transparent	0.75 mm	5	4€
080576	Crystal	Hard	Transparent	1.0 mm	5	4€
080577	Crystal	Hard	Transparent	1.5 mm	5	6€
080578	Crystal	Hard	Transparent	2.0 mm	5	8€
080579	Milky	Hard	Translucent	0.6 mm	10	4€
REF.	TYPE	HARDNESS	APPEARANCE	Dim. 131x131 mm thickness	QTY.	PRICE
080580	Soft	Soft	Translucent	1.0 mm	10	7€
080581	Soft	Soft	Translucent	1.5 mm	10	10€
080582	Soft	Soft	Translucent	2.0 mm	10	12€
080583	Soft	Soft	Translucent	3.0 mm	5	9€
080584	Soft	Soft	Translucent	4.0 mm	5	13€
REF.	TYPE	HARDNESS	APPEARANCE	Dim. Ø125 mm thickness	QTY.	PRICE
080574R	Crystal	Hard	Transparent	0.3 mm	10	4€
080575R	Crystal	Hard	Transparent	0.75 mm	5	4€
080576R	Crystal	Hard	Transparent	1.0 mm	5	5€
080577R	Crystal	Hard	Transparent	1.5 mm	5	7€
080579R	Milky	Hard	Translucent	0.6 mm	10	5€
080580R	Soft	Soft	Translucent	1.0 mm	10	5€
080581R	Soft	Soft	Translucent	1.5 mm	10	9€
080582R	Soft	Soft	Translucent	2.0 mm	10	9€
080583R	Soft	Soft	Translucent	3.0 mm	5	6€
080584R	Soft	Soft	Translucent	4.0 mm	5	11€

SPECIAL OFFER | Laboratory

From 1 June to 30 September, 2025



Geisser automatic polymerizing pot




Polymerizing pot with high capacity tank (up to 6 litres), which allows to accommodate a considerable number of elements to polymerize. By means of an electronic control, temperatures can be regulated and maintained.

Specifications

Pressure 2 bar
Power 600 W
Max. temp. 100°C
Capacity 6 l

Inside dimensions:
Ø 220 x 160 mm height



CERTIFICATED by TÜV RHEINLAND®
Type certificate N° PED.BD.000011
2014/68/EU (pressure equipment directive)



REF. 030425

1.137 €

Polymerizing pneumatic pot



Specifications

Pressure max. 2 bar
Max. temp. 60°C
Capacity 6 l

Inside dimensions:
Ø 220 x 170 mm height



Connection hose with automatic closing

Double safety valve

REF. 030420


300 €

Poli Plus pressure polymerizer



Specifications

Max. temp. 135 °C
Max. pressure 6.5 bar
Tank diameter 135 mm
Tank height 115 mm



REF. 080460

2.755 €

Polymerizer M9 y Magic-18



NEW



Polymerizer M9

REF. 080400

1.876 €

For 9 flasks with clamp 030390



Polymerizer Magic-18

REF. 080407

2.044 €

For 18 flasks with clamp 030390

Washing-polymerizer E2



Polymerization: 12 flasks
Blanching: 6 open muffles

REF. 080060

4.033 €

Washing-polymerizer Extreme E2



NEW



Polymerization: 12 flasks
Blanching: 6 open muffles

REF. 080063

3.507 €

SPECIAL OFFER | Laboratory

From 1 June to 30 September, 2025



MESTRA

Hydraulic Press

All parts subject to wear are made of ground hardened and tempered steel.

Specifications

Max. long piston 25 mm

Max. power 250 kg/cm²



REF. 030350


755 €

Dental polyamide Inyector

Specifications

Pressure 3/8 bars

Consumption 1100 W



For Ø 22 mm cartridges

REF. 080560

3.238 €

For Ø 25 mm cartridges

REF. 080560G

3.238 €


Induction casting machine Vestacast

Metal melting up to 1750 °C

Specifications

Water supply 2 l/min (aprox.)

Power 2.6 kW 100 kHz




REF. 040061

8.190 €

Casting machine CEN Motor SM2

- ✓ Floating cabin system that reduces vibrations.
- ✓ Electronic control for precise regulation.
- ✓ Light arm with automatic retraction system.
- ✓ Automatic door lock during operation.
- ✓ Can carry cylinders up to 100 mm in diameter.



REF. 040064

2.966 €

Gelatine Mixer Gel Bat 6

Specifications

Consumption 700 W

Capacity 6 l

Speed 70-84 rpm



REF. 080510

2.981 €

Gelatine Mixer Aneto II

Specifications

Consumption 650 W

Capacity 7 l

Speed 100 rpm



REF. 080512

3.098 €

SPECIAL OFFER | Laboratory


From 1 June to 30 September, 2025



Pre-heating furnaces

- ✓ Allows you to store up to 20 programs.
- ✓ Made of stainless steel.
- ✓ Electronic control supports programming of multiple parameters.
- ✓ Supplied with a ceramic tray.

MODEL	HP 100	HP 50	HP 25
Power	3000 w	2000 w	1500 w
Max. temp.	1100°C	1100°C	1100°C
Flask capacity	10.6 l	4.8 l	2.7 l
Height flask	149 mm	117 mm	100 mm
Width flask	305 mm	227 mm	165 mm
Depth flask	234 mm	180 mm	160 mm
N° cylinders Ø 80 mm	8-12	4-6	2-3



HP100
REF. 080148
3.045 €



HP50
REF. 080144
2.435 €




HP25
REF. 080142
2.148 €


Pre-heating furnaces Vulcano

The only difference between a Vulcano oven and its equivalent in the standard range is in the electronic control, keeping the rest of the components and functions. Its LCD screen provides all the information necessary for programming and job monitoring.


MODEL	HP 25	HP 50	HP 100
Power	1500 w	2000 w	3000 w
Max. temp.	1100°C	1100°C	1100°C
Flask capacity	2.7 l	4.8 l	10.6 l
Height flask	100 mm	117 mm	149 mm
Width flask	165 mm	227 mm	305 mm
Depth flask	160 mm	180 mm	234 mm
N° cylinders Ø 80 mm	2-3	4-6	8-12



HP25
REF. 080133
1.904 €




HP50
REF. 080135
2.161 €



HP100
REF. 080139
2.727 €


Oven 50D direct furnace



- ✓ It allows saving: 4 programs in memory and 1 direct.
- ✓ Power 2000 W
- ✓ Maximum 1100°C

REF. 080130
1.982 €

Catalytic converter



- ✓ Attached to the smoke outlet of any MESTRA preheating oven.
- ✓ Power 600 W

REF. 080124
679 €

Casting ring cleaner / wax-remover



It allows to remove the wax from the cylinders by medium of steam before putting them in the oven, avoiding smoke and bad smells. Thanks to its lower tray, the wax can be reused.

REF. 080068
531 €

6 cilindres 3x
REF. 040119

SPECIAL OFFER | Laboratory

From 1 June to 30 September, 2025



MESTRA

Furnace for ceramics

- ✓ Vacuum pump included.
- ✓ Heating platform.
- ✓ Calibration kit.
- ✓ Tray.

REF. 100249

3.849 €

426 mm
320 mm
392 mm
24 kg



Pouring Flask

- ✓ Resistant to high temperatures.
- ✓ Made of plastic.



50 mm
88 mm
105 mm
0,24 kg



REF. 020202R

84 €

Electrovibrator Teide

- ✓ 1 type of vibration.
- ✓ Adjustable power.

- ✓ 2 types of vibration.
- ✓ Adjustable power.

- ✓ 5 types of vibration.
- ✓ Adjustable power and time.



117-197 mm
227 mm
265 mm
5,5 kg



Teide 1

REF. 080021

371 €



Teide

REF. 080022

387 €



Teide Cima

REF. 080024

396 €

Vibrators Classic



REF. 080030

277 €

100 mm
Ø 120 mm
2,5 kg



REF. 080020

333 €

105 mm
220 mm
220 mm
6,3 kg



REF. 080025

314 €

105 mm
220 mm
160 mm
6,2 kg



REF. 080010

485 €

130 mm
370 mm
275 mm
13,2 kg

Pneumatic chisel

- ✓ Low vibration.
- ✓ Chisels with 3 different sizes.
- ✓ Economic.
- ✓ Light.
- ✓ Ergonomic.
- ✓ Long-lived.

Specifications

Lenght	140 mm
Pressure	2-6 atm
Connection	6 mm
Weight	185 gr

Ø 21 mm
140 mm
185 gr



REF. 050550

315 €

SPECIAL OFFER | Laboratory

From 1 June to 30 September, 2025



Curing lights


LED lamp, valid for the vast majority of materials.



- ✓ Power 40 W
- ✓ Spectrum 350-400 nm

REF. 100035


308 €



- ✓ Power 65 W
- ✓ Spectrum 400-405 nm

REF. 100037

344 €



DOUBLE FREQUENCY!

NEW



- ✓ Power 65 W
- ✓ Spectrum 400-405/460-465 nm

REF. 100036

460 €



Sun Beam curing light

Specifications

Spectrum 280/550 nm

Time range 3/20 min

6 lamps:

3mod. 9W/78 UVA


3mod. 9W/71 UVA

Consumption 54 W



REF. 080550

1.332 €



Base plates for pin driller

NEW



Base plate for former 100 u.

REF. 050180



Base plate without washer 100 u.

REF. 050182



Washer for base plate (50 u.)

REF. 050182-01



Base plate with washer 50 u.

REF. 050184



Secondary plate with magnet 25 u.

REF. 050186

CHECK PRICES

Light curing plates - Pink

MESTRA curing plates for the fabrication of custom trays and bite plates for the production of wax mounts.

Its slight transparency allows to perceive marks on the model.

Box 50 uds.



Thickness: 2.2 y 2.4
Thickness: 1.4

REF. 130320
REF. 130322

39 €

Megatray Light curing plates - Pink

Megatray curing plates for the fabrication of custom trays and bite plates for the production of wax mounts.

Its slight transparency allows to perceive marks on the model.

Box 50 uds.



Thickness: 2.2 y 2.4
Thickness: 1.4

REF. 130330
REF. 130334

44 €

SPECIAL OFFER | Laboratory

From 1 June to 30 September, 2025



MESTRA

Verticulator **Handy Basic**

Powerful tool that fits into a lot of dental prothesis works, to make or to design: implant supported, hybrids, fixed prosthesis, removable prosthesis, full of composites or ceramic, relines, repairs, temporary prosthesis, etc...



REF. 130100

340 €

Electrolytic polisher



140 mm
245 mm
245 mm
5,3 kg

REF. 080490

1.017 €

Digital electrolytic polisher

Small size device. The tank can be removed, making it easier to clean.

The electronic control allows precise adjustment of time and maximum intensity.

It is also possible to memorise a polishing programme.



REF. 100291

598 €

145 mm
210 mm
250 mm
1,9 kg

Solution for electrolytic bath

High quality product. It has been formulated to minimize its toxicity, when the safety measures and recommendations for use are followed.

Using it together with electrolytic baths of the type dental and/or jewelry, the quality achieved is excellent.

In addition, it remains without degrading for many cycles of use. Its viscous texture prevents splashing and makes it much easier to clean up accidentally spilled debris.



5 liters

REF. 130351

42 €



1 liters

REF. 130350

10 €

Pin drill **Atlas**

Supplied with 2 burs
Ø 1.85 and 1.95 mm

Specifications

Speed 6000 rpm

300 mm
165 mm
165 mm
5 kg



REF. 080610

849 €

Model saw

Specifications

Speed 6000 rpm

Power 200 W

290 mm
223 mm
260 mm
6,3 kg



REF. 080614

972 €

SPECIAL OFFER | Laboratory

From 1 June to 30 September, 2025



Induction heater



Electronic spatulas for wax carving



Wax heaters



Dipping wax heaters



High capacity wax heater

- ✓ With teflon tank..
- ✓ Capacity 1 L



Composite heater

Device to keep warm 8 composite syringes.



Spot welding machine

The machine is controlled electronically, which practically eliminates sparks between electrodes on machines without a control system of this type.

Power can be selected from among 30 different levels to adapt the thickness of the material to be welded.


Join thickness: 0.2 to 1.8 mm



Surveyor

Concentric clamp for 2 mm rods. COMPONENTS INCLUDED:

- ✓ Wax knife.
- ✓ Analyzing rod.
- ✓ Rod with: 0.25 - 0.50 - 0.75, rib.
- ✓ Holder with loads.



SPECIAL OFFER | Laboratory

From 1 June to 30 September, 2025



Hybrid Kolinsky-Toray Brushes


- ✓ **Advantages from Kolinsky hair:**
Excellent liquid retention and subsequent dosing of the same.
- ✓ **Advantages from Toray fiber:**
Excellent ability to recover its shape after use, excellent abrasion resistance, extraordinary glide with hardly any resistance.

- ✓ **Other advantages:**
Ergonomic handle, variety of sizes, very competitive price.

	REFERENCE	Material	Characteristics	PRICE
0	050370	Madera	Hybrid (Kolinsky-Toray)	9 €
1	050371	Madera	Hybrid (Kolinsky-Toray)	10 €
2	050372	Madera	Hybrid (Kolinsky-Toray)	11 €
4	050373	Madera	Hybrid (Kolinsky-Toray)	14 €
6	050374	Madera	Hybrid (Kolinsky-Toray)	17 €
8	050375	Madera	Hybrid (Kolinsky-Toray)	19 €
10	050376	Madera	Hybrid (Kolinsky-Toray)	23 €



It allows the application of ceramics with precision thanks to its fine tip.



NEW

Curing light Sun Beam 3D+

The UV device emits constant, concentrated and uniform ultraviolet light, to quickly cure prints made with photopolymer resins.

The subsequent curing process increases the hardness and strength of the printed products.


Specifications

Power 60 W

Timer 0-60"

Wavelength

375-405 nm



REF. 150121

461 €

Resin mixer

Agitation device of resin bottles

Double movement, rolling and swing, so the mixing action is smooth and highly efficient. The characteristics of the resin are not altered due to an excessively energetic movement.

A homogeneously mixed resin is indispensable to get an excellent print job. The machine is silent and has a speed regulator.




REF. 150130

384 €

Lamp for zirconia drying

The zirconia drying lamp is an infrared lamp with thermal radiation. It is used to dry the zirconia structures after immersion in the coloring liquid, to avoid corrosion of the sintering furnace resistances due to the acid contained in the liquid.

The drying time of the frameworks depends on the type of framework. Made of aluminum.



REF. 100030

143 €

Spray for laboratory scanner

Indispensable to achieve an optimal scan, increasing the resolution of the areas with the worst reading in a model.

Color and texture have been formulated to be very sharp at the lighting frequencies commonly used by dental scanner projectors.

Drying times are extremely fast, which improves productivity.

Debris sprayed on unwanted surfaces can be easily cleaned.

The package contains 200 ml.



REF. 130355

15 €

SPECIAL OFFER | Laboratory

From 1 June to 30 September, 2025



MESTRA

Automatic bag sealer with printer



Bag sealer

- ✓ Sealing length 305 mm.
- ✓ Sealing width 12 mm.

*Coils not included



Self-sealing sterilisation pouch

New bags 5×9 cm,
the smallest from the market!



Specifications

Ref. 080448: 5 × 24 cm	Ref. 080449: 7 × 26 cm
Ref. 080450: 9 × 26 cm	Ref. 080451: 5 × 9 cm
Ref. 080452: 14 × 28 cm	Ref. 080454: 19 × 36 cm
Ref. 080456: 25 × 40 cm	Ref. 080457: 30 × 40 cm
Ref. 080458: 30 × 45 cm	Ref. 080459: 5.7 × 13 cm

Class I medical device (MDR 2017/745)
Conforming to standards ISO 11607-1:2017 and EN 868-5:2009

Quantity
(200 units)

**CHECK
PRICES**

Coils for sealers



Specifications


Ref. 080441: 5 cm × 200 m	Ref. 080445: 20 cm × 200 m
Ref. 080442: 7.5 cm × 200 m	Ref. 080446: 25 cm × 200 m
Ref. 080443: 10 cm × 200 m	Ref. 080447: 30 cm × 200 m
Ref. 080444: 15 cm × 200 m	

Class I medical device (MDR 2017/745)
Conforming to standards ISO 11607-1:2017 and EN 868-5:2009

**CHECK
PRICES**

Mini sandblaster for extraoral use

- ✓ Particle size: 50 to 100 microns.
- ✓ Essential for brackets cleaning.
- ✓ Adequacy of micro retentions and crowns.
- ✓ Adjustment of interproximal contacts.
- ✓ Occlusal sandblasting.
- ✓ Inlay-Onlay.



REF. 100122

SUPER OFFER
130 €

SPECIAL OFFER | Laboratory

From 1 June to 30 September, 2025



Calypso ultrasonic bath 4 liters

- ✓ With heating.
- ✓ With drain valve.
- ✓ Includes crystal glass.
- ✓ Includes bur cleaning tool Ref. 070520
- ✓ Includes stainless steel basket.



REF. 080422

1.124 €

Ultrasonics bath 2.8, 3.4 and 5.8 liters


- ✓ Temperature.
- ✓ Drain.
- ✓ Metal basket.
- ✓ Made of stainless steel.



5.8 L

REF. 100152

452 €



Inner dimensions:
Height 155 mm
Width 298 mm
Depth 152 mm



3.4 L

REF. 100151

421 €




Inner dimensions:
Height 100 mm
Width 298 mm
Depth 152 mm



2.8 L

REF. 100150

328 €



Inner dimensions:
Height 100 mm
Width 238 mm
Depth 140 mm

Ultrasonic bath 3, 2.5 and 1.4 liters


3, 2.5 and 1.4 liters



2,5 L

REF. 100140


262 €



3 L

REF. 100142

170 €



1,4 L

REF. 100141

170 €



SPECIAL OFFER | Laboratory

From 1 June to 30 September, 2025



MESTRA

Semiadjustable arcon type articulator Arquimedes Professional A7 Plus

REF. 010099

200 €

Robust structure made of aluminum, ensuring greater stability. Design that provides greater visibility.

- ✓ Semiadjustable / Arcon.
- ✓ Fixed intercondylar distance (110 mm).
- ✓ Curve condylar guide.
- ✓ Regulable condylar guide.
- ✓ Regulable Bennet angle.
- ✓ Central lock.
- ✓ Stabilization system of the condilar guide movement with silicone connection.
- ✓ Support for upper branch in open position.



MESTRA
by bio-art



Standard Professional Set

REF. 010102

**SUPER OFFER
265 €**

- ✓ Articulator A7 PLUS
- ✓ Standard face bow
- ✓ Case



Elite Professional Set

REF. 010101

379 €

- ✓ Articulator A7 PLUS
- ✓ Elite face bow
- ✓ Case



Semiadjustable arcon type articulator Arquimedes Protrusal A7 Plus E

REF. 010103

**SUPER OFFER
285 €**

It has exclusive aluminum condylar guides with millimeter adjustment.

- ✓ Stabilization system of the condilar guide movement with spring.
- ✓ Support for upper branch in open position.
- ✓ Fixed intercondylar distance (110 mm).
- ✓ Regulable condylar guide.
- ✓ Regulable Bennet angle.
- ✓ Flat condylar guide.
- ✓ Bilateral locking system.



MESTRA
by bio-art



Standard Protrusal Set

REF. 010104

**SUPER OFFER
330 €**

- ✓ Articulator A7 PLUS-E
- ✓ Standard face bow
- ✓ Case



Elite Protrusal Set

REF. 010106

**SUPER OFFER
450 €**

- ✓ Articulator A7 PLUS-E
- ✓ Elite face bow
- ✓ Case



Semiadjustable arcon type articulator + Case 4000 S

REF. 010107

240 €

- ✓ Adjustable intercondylar distance (expanding spindle).
- ✓ Curve condylar guide.
- ✓ Regulable condylar guide.
- ✓ Regulable Bennet angle.
- ✓ Stabilization system of the condilar guide movement with O-ring.



MESTRA
by bio-art



Standard 4000S Set

REF. 010107S

331 €

- ✓ Articulator 4000S
- ✓ Standard face bow
- ✓ Case



Elite 4000S Set

REF. 010107E

418 €

- ✓ Articulator 4000S
- ✓ Elite face bow
- ✓ Case



SPECIAL OFFER | Laboratory

From 1 June to 30 September, 2025



MESTRA

Arcon type articulator Arquimedes Junior A7 Fix

- ✓ Semiadjustable / Arcon.
- ✓ Fixed intercondylar distance (110 mm).
- ✓ Condylar guide set at average 30°.
- ✓ Bennet angle set at average 15°.
- ✓ Curve condylar guide.
- ✓ Magnetic stabilization system of the condilar guide movement (built-in).
- ✓ Support for upper branch in open position.



REF. 010098

112 €



Standard face bow

An apparatus used to record the spatial position of the patient's upper dental arch in relation to the skull and transfer the record to the articulator. Transfer of the patient record is performed by setting the complete face bow in the upper frame of the articulator.



REF. 010102-50

95 €



CE Producto sanitario

Elite face bow

Articulated and fixation system for the fork that allows a faster registration process. Eliminates the needs for face bow in the assembling process of the casts in the articulator.



REF. 010102-55

198 €



CE Producto sanitario


Functional articulator 2 points

- ✓ Made of brass and stainless steel.
- ✓ With laterality movements.



REF. 010040

29 €




Balanced articulator light with the occlusal plane



REF. 010090

64 €



Balanced articulator light



REF. 010090B

59 €




Magnetic condylar articulator



REF. 010185

47 €



Plastic articulator disposable




100 units
REF. 010147

17 €

100 units
REF. 010148

17 €



NEW

SPECIAL OFFER | Laboratory

From 1 June to 30 September, 2025



MESTRA

Tables


for one and two workstations



- ✓ Very high quality work tables.
- ✓ Conexión 220 V
- ✓ With all the elements and accessories for work in dental environments:
- ✓ With a pre-installation for a gas burner.
- ✓ A practical chipper that fits perfectly with the Orión work box (Ref. 080214 from MESTRA)

REF. 100304

2.496 €




80 kg



REF. 100303

1.781 €



55 kg

Finishing table


Metal work table with wooden worktop.

They have all the elements and accessories for work in dental environments: Two sockets, shelf, drawer, etc. Assembly is simple.



REF. 100301

659 €



Finishing table

- ✓ Metal table, wood worktop.
- ✓ Chair for workstation REF. 100300
- ✓ Polishing lathe and two trays.
- ✓ LED lamp
- ✓ Micromotor.


Gift:

- ✓ Magnifying glass
- ✓ Magnet bur holder



REF. 100301K2


1.867 €



Work chair



1 seat height regulation




Without wheels

REF. 100297

208 €



1 seat height regulation



With wheels


REF. 100298

208 €

Wheels with safety brakes (EN 1335-2:2009)




Four different regulations allowed: seat height and inclination and backrest height and angle of inclination.



REF. 100299

247 €



REF. 100300

266 €

Wheels with safety brakes (EN 1335-2:2009)

SPECIAL OFFER | Laboratory

From 1 June to 30 September, 2025




MESTRA

Model tray

145 mm
190 mm
140 mm
0,2 kg (unidad)

Rail

REF. 100060



Yellow
Blue
Red
Green
White

REF. 100050
REF. 100052
REF. 100054
REF. 100056
REF. 100058

10 units, one color

71 €




Model tray large

145 mm
205 mm
195 mm
0,3 kg (unidad)

Rail

REF. 100060



Yellow
Blue
Red
Green
White

REF. 100062
REF. 100064
REF. 100066
REF. 100068
REF. 100069

10 units, one color

80 €



Model tray high

145 mm
155 mm
145 mm
0,2 kg (unidad)

Rail

REF. 100060



Yellow
Blue
Red
Green
White

REF. 100071
REF. 100072
REF. 100073
REF. 100074
REF. 100075

10 units, one color

61 €



NEW

Model tray tabletop

*No compatible with Ref. 100048
*No compatible with Ref. 100060

210 mm
150 mm
140 mm
0,3 kg (unidad)



Yellow
Blue
Red
Purple
White

REF. 100043
REF. 100044
REF. 100045
REF. 100046
REF. 100047

10 units, one color

24 €



Tray trolley

1350 mm
520 mm
850 mm

REF. 100048

335 €



Tray trolley

+ 30 small units
+ 20 large units

REF. 100048-50

662 €

Tray trolley

+ 60 small units

REF. 100048-60

706 €

Magnifying glasses

Lightweight, handy and with excellent panoramic and clear vision. The magnifier is essential for clinical and laboratory procedures.

Manufactured with CR-39 resin, higher resistance against abrasion and excellent transparency.

- ✓ Available in 2.5x or 3.5x magnification.
- ✓ Packing dimensions: (WxDxH) 25.5 x 16.5 x 3.5 cm.
- ✓ Weight: 65g.



LAUNCHING OFFER

Magnification 2,5 x

REF. 100076

LAUNCH OFFER

36 €

Magnification 3,5 x

REF. 100077

LAUNCH OFFER

36 €



NEW

LED lamp



- ✓ 84 large LEDs.
- ✓ Color temperature 6000 K
- ✓ Tactile dimmable light intensity.
- ✓ Specially rigid arm.
- ✓ With clamp for fastening to the table.

REF. 100288

SUPER OFFER
90 €

LED lamp




- ✓ 90 large LEDs.
- ✓ Color temperature 6000-7000 K
- ✓ Tactile dimmable light intensity.
- ✓ With clamp for fastening to the table.

REF. 100289

SUPER OFFER
90 €

LED lamp



- ✓ 117 LEDs.
- ✓ Color temperature 5600-6000 K
- ✓ With clamp for fastening to the table.

REF. 100290

SUPER OFFER
90 €

Magnifying glass



3 diopter lens

REF. 100287

5 diopter lens

REF. 100287-5x

- ✓ 90 white LEDs.
- ✓ Ø 190 mm lens.
- ✓ Clamp to fix it to the table.

SUPER OFFER
76 €


LED lamp




- ✓ 140 LEDs.
- ✓ Colour temperature 3000/6500 K
- ✓ 3 types of light: cold, neutral and warm.
- ✓ Tactile dimmable light intensity.
- ✓ With clamp for fastening to the table.

REF. 100289V

108 €



Swivels up to 180°



Cold light
1 row



Neutral light
2 rows



Warm light
1 row

NEW

Accessories for lamp and magnifying glass

REF. 100287 - REF. 100288



Wheeled stand

REF. 100288-10

57 €



REF. 100288-02

Clamp support



REF. 100288-03

Wall bracket



REF. 100288-04

Screwable
table support

25 cm



REF. 100288-07

Desktop stand



MESTRA

Talleres Mestraitua SL
(+34) 944 530 388
info@mestra.es - www.mestra.es
48150 SONDIKA (Spain)

Offer valid unless typographical error or out of stock. The manufacturer reserves the right to make changes without prior notice.

